Watc epec	- 1	ease Print) BUARD LUTHERVILLE	180	то (Des Sp	PRING	W.O Numb	er 2165	853	/ ⁴
	Exception	Chaln Marker No.	W.O.	Track	Rall	Switch	Cod		Status	Repair
tem	From	To	Number	No.	E/W	No.	Comp.	Defect	S/Y/R	Y/N
1.				•						
2.					*2	4				
3.										
4.										
_										
5.									**	
в.										
7.	- No.								127	
8.			MESSESSICATION							
9.										
We	re all singl	vitch in the area e operating med			s X od type sv	Novitches inside	Oarea and ope	eratated in e	each positio	on ?
Rea		L INSPECTIO								
Traci	- 4	r Signature ú Lly		,		ra .	Supervisory	· Cretificati	on James	flu

Vatc	(Please f hman	•	2		1 . //		W.O Numb	er 2/6	3776	
pec	ted From Hon	-tVall	y	To 4	CUtha	robelle	•	. •		
	Exception Chain		w.o.		Rail	Switch	Co	des	Status	Repair
em	From	To	Number	No.	E/W	No.	Comp.	Defect	S/Y/R	Y/N
1.										
-										
		3.50								
5.										-
9.										
<u>. </u>	į.							1000		-,*
),			iller Balline (1917) Herrina							
).		v								
1	COMMENTS					Note				
We	Were Switch re all single opeNO	rating mech	nanism & cor		d type sv		o_ area and ope	eratated in e	each positio	on ?
Rea	son for specia							k		
rac	k Inspector Sign	natur e		ž		\$1	Supervisory	/ Cretificat	ion Jama	Sew

Watc	A. Robet (Please I					1-10-15			· 01	
8pec	ted From Col	dspen	55	То	Lumo	for - Por	W.O Numb	er cre S	876	
	Exception Chain	Marker No.	w.o	Track	Rall	Switch	Cod	les	Status	Repai
tem	From		Number	No.	E/W	No.	Comp.	Defect	S/Y/R	Y/N
1.				•						1
2.	300					-				
3,		9					387			
4.										
5.										i —
6.									·	040
7.										
6.										
9.		14								
					*			3		
We	Were Switch ore all single ope					NO Itches Inside a	area and ope	eratated in e	each positio	on ?
	SPECIAL INS	SPECTIO	N Ye s	N	<u>اص</u>					
Rea	son for specia	al Inspecti	on ?							
			*						,	1

	ted From CAH	Print)	-	To (JUTHIC	UM	W.O Numb	er 2162	1930	/*
	Exception Chai	n Marker No.	w.ov.	Track	Rall	Switch	Cod		Status	Popula
tem	From		Number		E/W	No.	Comp.	Defect		Repair
1.			ideal and the same	- 1101	-2.11	110.	Comp.	Delect	S/Y/R	Y/N
2.		,	0.40.000346.40		- 1		 			
3.								-		
4.			Professional							
	700			7						
5.			N. C.							
в.			Water Sales and						*4	
7.	5									
8.			NUERE NO STATES							
9.										
m	COMMENTS									
	PIDING	lucas Tio	U DUE TO	Danil						
\neg	NO NEW	DERECTO	NOTED IN							
\dashv	NO NEW	DOPECIS	NOTED IN	NEGA						
	Were Switch	in the area	of Inspecte	d Ye	. visone c	ewy No	0			
·	Were Switch ore all single op NOX SPECIAL IN	erating mech	nanism & cor	necting ro	od type sw	ritches inside	O_ area and ope	eratated in e		on ?
·	Were Switch ere all single op NO×	erating mech SPECTIOI al Inspecti	nanism & cor	necting ro	od type sw	vitches inside	O_ area and ope		each position	

		In Marker No.	w.o.	Track	Rall	Switch	Co	des	Statue	Repair
tem	From	То	Number	No.	E/W	No.	Comp.	Defect	S/Y/R	Y/N
<u>1</u> -										
2. 3.	ו1						-			
4.		-								
-		,	KISALDAP DARKA					1		<u> </u>
5.	,		100					 		
3.			ta allega							
7.	Œ _n							 		
3.			and the same of th							
).							4			
n_	COMMENTS									
		G IN IEW T	SPECTIC SFECT	5 A	SOTE) IN	AREA			
		G IN IEW D	SPECTIO	5 A	(DTEI) IN	AREA			
		G IN IEW D	SPECTIO	5 A	(OTEI	> /N	AREA			
	No n	IEW TO	OFFECT	S A						
We	No n	IEW TO	OFFECT	S A						on ?
We		IEW TO	OFFECT	S A						on ?
We	Were Switcere all single o	h in the area	of Inspected	ye ecting ro	os_ Visuo od type sv	vitches Inside				on ?
	Were Switchere all single o	h in the area perating meci	of Inspected	Ye ecting ro	os Visua od type sv	vitches Inside	Oarea and op			on ?
	Were Switcere all single o	h in the area perating meci	of Inspected	Ye ecting ro	os Visua od type sv	vitches Inside	Oarea and op			on ?
	Were Switchere all single o	h in the area perating meci	of Inspected	Ye ecting ro	os Visua od type sv	vitches Inside	Oarea and op			on ?
Rea	Were Switchere all single on NO SPECIAL II	h in the area perating meci	of Inspected	Ye ecting ro	os Visua od type sv	vitches Inside	O_ area and op	eratated in e	each position	
Rea	Were Switchere all single o	h in the area perating meci	of Inspected	Ye ecting ro	os Visua od type sv	vitches Inside	Oarea and op	eratated in e	each position	

-	ted From HUN	Markey No.	(ARISTO PROPERTY OF	- ·	T 5 " T			7		
tem	Exception Chain	To	w.ox	Track	Rail	Switch	Cor		Status .	Repali
1.	From 884+65 [№]	10	Number	No.	E/W	No.	Comp.	Defect	S/Y/R	Y/N
2.	1813+50"			1	W .		W.301	348	3	
3.	812+00N			1	112		- W301	329		
4.	PIDFOU		Control House		112		10301	329		-
							 			
5.			1312				 			<u> </u>
6.			2,4602,412,542							<u> </u>
7.										- 2
8.										
9.										
2	EAST RAIL NEED SURI NEED SURI	PACE, 3/	RUBBING 4" LOW 4" LOW	CONC	PETS II	Э Рерога	É SOHILL	ING RD	X-11160	
$\overline{}$	EAST RAIL NEED SURI	PACE, 3/	4" LOW	CONC	PETE IL	Э Рерога	É SCHILL	ING RD	X-016	
2	EAST RAIL NEED SURI	PACE, 3/	4" LOW	Call	PETS IL	Э Керопр	É SCHILL	ING RD	X-111(a	
	EAST RAIL NEED SURI	In the area	4" LOW	of You	es <u>×</u> od type swi	^\	IO			

	55EL	1000	SKYANT		Date	11-12-	2015	Page	of	
	5 5 EU (Please thman	Print)	VILLE	То		SPRING		er_ 2/		3"
	Exception Chair	Marker No.	w.o.	Track	Rall	Switch	Cod		Statue	Repa
item	From	То	Number	No.	E/W	No.	Comp.	Defect	S/Y/R	Y/N
1.										
2.		•								
3.				_						
4.			STORING PARTY							
_									7.	
5.										
д. 7.										.9
_										15
8. 9.										
m m	COMMENTS		BANARIA MINANTANI							
				8						
			<u> </u>							
	· ·		*						,	
								2	7	
We s			a of Inspected	d Ye	es //sun	wychry NC)area and ope	pratated in e		on ?
Wes_	Were Switch	erating med	chanism & con	ecting re	es //s wa	vitches inside) area and ope	ratated in e		on ?
8	Were Switch ere all single op	erating med	chanism & con	ecting re	od type sv	vitches inside a	area and ope	ratated in e		on ?

	(Please	SLER Print)			Date	nlizlis		Page	l of L	
	hman M Po	LLARD		_	7		W.O Numb	er_ 2163	867	/ '
ebec.	ted From Coun	Sprinc.	•	То	AMUEL	1	-			
	Exception Chair	Marker No.	w.o.	Track	Rali	Switch	Cod	les	Statue	Repair
em	From	То	Number(No.	E/W	No.	Comp.	Defect	S/Y/R	Y/N
1.										
2.										
			i i	-		S 1	· ·			
\dashv				_						
			Lideration sales in the later of the later o							
			British (1994) Salat Salat British (1994) Salat							
.	4									.,,
	COMMENTS		INVARENTE NOVAS I DADO HIGI ENVIR I I							
\pm										
					1/#3					
We	Were Switch					~ರಿಪಿಲ್ಯ No		Pratated in e		on ?
We								eratated in e		on ?
We	Were Switch	erating mecl	nanism & cor	ecting ro	od type sv	vitches inside		eratated in e		
	Were Switch re all single op	erating meci	nanism & cor	necting ro	od type sv	vitches inside	area and ope	eratated in e		

-	ted From	Tean Li		То			•	,9		
	Exception Chai		W.O.W		Rall	Switch	Cod	le s	Status	Repair
tem	From	То	Number	No.	E/W	No.	Comp.	Defect	S/Y/R	Y/N
1.		<u> </u>	神经神经神经							
2.										
3.										
4.										
_			2.30							
5. 3.			0.0000000000000000000000000000000000000							
$\overline{}$										
\exists			Control of the second							
).).				-						
n	COMMENTS									
	NO NEW	DEFECTS	OBSERV	ΕΛ						
	NO NEW	DEFECTS	OBSERV	ΕΛ						
We		n In the area	a of Inspecte	nd Ye		itches inside		eratated in e	each position	on ?

	(Please hman <u>M</u> R	Print) SLLARD THICOM	<u> </u>	то (CROM W	11113115	W.O Numt	page 2.15 9	1 01 2	/*
	Exception Chair	Marker No.	w.ou	Track	Rail	Switch	T Co	des	Status	Barrels
Item	From		Number	No.	E/W	No.	Comp.	Defect	S/Y/R	Repair Y/N
1.	377+00			. 2	Вотн	DIMMOND	5305	301/305	Y	1//\
2.		•		~	147			7,50,5		
3.		- 3	Acceptable (Acceptable)							
4.			Joseph Program				- 8		*	
		•)						1		
5.										
в.								1		100
7.										- *
8.			建筑是对南北州的							
9.			Hara Maria Ballan					1		
#	111									
We	Were Switch ore all single ope						Oarea and op	eratated in e	each positio	on ?
	SPECIAL IN							10 10 10 10 10 10 10 10 10 10 10 10 10 1	14,000 and 100 from	
										1

Vame	(Please									
	hman M. Roci			_	D		W.O Numb	er2150	3641	/ 1
rabec	ted From List	MCOH	•	То	Bwi		-			
	Exception Chain		w.os	Track	Rall	Switch	Cod		Statue	Repai
Item	From	То	Number	No.	E/W	No.	Comp.	Defect	S/Y/R	Y/N
1.			计图像数据	7/	Воти	115	5 304	348	Y	
2.										
3.										
4.										
5.										
в.						·	-			
7.							-			
8.							 			
9.							 			
m	COMMENTS									L
	TRASH IN SO	WITCH FOIR	T AREA,	FIRE I	HAZAĻA					
	TRASH IN SO	NITCH FOIN	T AREA,	FIRE I	HAZO F.A.					
	TRASH IN SO	NITCH FOIN	T AREA,	FIRE I	HAZO FA					
20/6	Were Switch	in the area	of Inspected	d Ye	× see		10			
We	Were Switch	in the area	of Inspected	d Ye	× see		IO	eratated in e	each position	on ?
We s	Were Switch	in the area	of Inspected	d Ye	× see		/O	eratated in e	each position	on ?
We	Were Switch	<i>In the area</i> erating mech	of Inspected	y ecting re	es ×		IO	eratated in e	each position	on ?
8	Were Switch ore all single ope	In the area	of Inspected	d Ye	es × od type s	witches inside	area and ope	eratated in e	each position	on ?
s	Were Switch ore all single opeNO_X SPECIAL IN	In the area erating mech	of Inspected	d Ye	es × od type s	witches inside	area and ope	8		

	(Pleasc hman	Print)	5.5eC						of 5497	
napec	ted From	ander	-	То	LINT	hizum	•21			
	Exception Cha	In Marker No	. woul	Track	Rall	Switch	Cod	les	Status	Repai
Item	From	То	Number	No.	E/W	No.	Comp.	Defect	S/Y/R	Y/N
1.		 	1917 1914 1915			4				
2.		 				-				
4.										
										
5.			114							
θ.	···								30	
7.	1							7 2 7 7		
8.									- 12	
9.										
		***			-					
									,	
We	Were Switching all single of NO	perating med		necting r	od type swi	NO) area and ope	eratated in e	each positic	on ?
98	Were Switc	NSPECTION	chanism & cor	necting re	od type swi	itches Inside	area and ope	eratated in e	each positio	on ?